



**2019**

## Foco Bulbo de LED



Sku	Descripción	Watts	Lumenes	Pf
Qp-009	3000K/6500K, E27	9 w	855 lm	0.9
Qp-010	3000K/6500K, E27	10 w	950 lm	0.9
Qp-012	3000K/6500K, E27	12 w	1140 lm	0.9
Qp-014	3000K/6500K, E27	13 w	1235 lm	0.9
Qp-035	3000K/6500K, E27	16 w	1520 lm	0.9
Qp-050	3000K/6500K, E27	20 w	1900 lm	0.9

## Foco en Espiral de LED



Sku	Descripción	Watts	Lumenes	Pf
Ym-007	3000K/6500K, E27	7 w	666 lm	0.9
Ym-009	3000K/6000K, E27	9 w	855 lm	0.9
Ym-012	3000K/6500K, E27	12 w	1140 lm	0.9
Ym-016	3000K/6500K, E27	16 w	1520 lm	0.9
Ym-020	3000K/6500K, E27	20 w	1900 lm	0.9
Ym-024	3000K/6500K, E27	24 w	2280 lm	0.9
Ym-030	3000K/6500K, E27	30 w	2850 lm	0.9

## Foco Vintage Filamento LED



Sku	Descripción	Watts	Lumenes	Pf
Ds35-04	3000K, E12 vela	3.6 w	342 lm	0.6
Ds60-04	3000K, E27, A 60	3.6 w	342 lm	0.6
Ds64-04	3000K, E27, A 120	3.6 w	342 lm	0.6

## Sobreponer




Skü	Descripción	Watts	Lúmenes	Pf
Mpd-012-fr	6000K/3000k, 14.5x14.5 cm, Redondo	12w	1080 lm	0.9
Mpd-018-fr	6000K/3000k, 19.5x19.5 cm, Redondo	18 w	1680 lm	0.9
Mpd-025-fr	6000K/3000k, 26.5x26.5 cm, Redondo	25 w	2250 lm	0.9
Mpd-012-fc	6000K/ 3000k, 14x14 cm, Cuadrado	12 w	1080 lm	0.9
Mpd-018-fc	6000k/3000k, 19.5x19.5 cm, Cuadrado	18 w	1680 lm	0.9
Mpd-025-fc	6000k/3000k, 26.5x26.5 cm, Cuadrado	25 w	2250 lm	0.9

## Panel SLIM



Skü	Descripción	Watts	Lúmenes	Pf
Mpd-006-sr	6000K/3000k, 12x12 cm, Redondo	6 w	540 lm	0.9
Mpd-009-sr	6000K/3000k, 14.5x14.5 cm, Redondo	9 w	810 lm	0.9
Mpd-012-sr	6000K/3000k, 17x17 cm, Redondo	12 w	1080 lm	0.9
Mpd-006-sc	6000K/ 3000k, 12x12 cm, Cuadrado	6 w	540 lm	0.9
Mpd-012-sc	6000k/3000k, 17x17 cm, Cuadrado	12 w	1080 lm	0.9
Mpd-018-sc	6000k/3000k, 22.5x22.5 cm, Cuadrado	18 w	1680 lm	0.9

## Panel LED



Skü	Descripción	Watts	Lúmenes	Pf
Mpd-048-01sc	3000K/6000k, 60x60 cm	48	4320 lm	0.9
Pb-014	3000K/6000k, 30x120 cm	48	4320 lm	0.9
Pb-018	3000K/6000k, 60x120 cm	80	8550 lm	0.9

## Foco Alta Potencia LED



Skü	Descripción	Watts	Lumenes	Pf
T80-20-01	6000K, E27	20 w	1800 lm	0.9
T100-30-01	6000, E27	30 w	2700 lm	0.9
T125-40-01	6000, E27	40 w	3600 lm	0.9
T165-60-01	6500, E27	60 w	5400 lm	0.9
T120aI-40-01	6500K, E27-E40	40 w	4500 lm	0.9

## Campanas SMD LED



Skü	Descripción	Watts	Lumenes	Pf
Gkufo-100-01	6500K, SMD	100 w	9000 lm	0.9
Gkufo-150-01	6500K, SMD	150 w	13500 lm	0.9
Gkufo-200-01	6500K, SMD	200 w	18000 lm	0.9

## Foco Dona LED



Skü	Descripción	Watts	Lumenes	Pf
Mg-050-01	6000k, E27	50 w	4750 lm	0.9
Mg-100-01	6000K, E27	100 w	9500 lm	0.9

## Urbana LED Tipo Raqueta



Sku	Descripción	Watts	Lumenes	Pf
Bj-050	6500K, COB	50 w	4500 lm	0.96
Bj-100	6500K, COB	100 w	9000 lm	0.96
Bj-150	6500K, COB	150 w	13500 lm	0.96
Bj-200	6500K, COB	200 w	18000 lm	0.96

## Urbana LED




Sku	Descripción	Watts	Lumenes	Pf
Ldbh -30-01	6500K, SMD, Fotocelda	30 w	3300 lm	0.95
Ldbh- 60-01	6500K, SMD, Fotocelda	60 w	6600 lm	0.95
Ldbh-100-01	6500K, SMD, Fotocelda	100 w	11000 lm	0.95
Ldbh-150-01	6500K, SMD, Fotocelda	150 w	16500 lm	0.95

## Suburbana LED Tipo Paleta




Sku	Descripción	Watts	Lumenes	Pf
Ld-035	6000K, SMD, Fotocelda	35 w	3325 lm	0.95
Ld-010	6000K, SMD, Fotocelda	40 w	3800 lm	0.95
Ld-055	6500K, SMD, Fotocelda	55 w	5225 lm	0.95

## Tubo de Acrilico LED




Sku	Descripción	Watts	Lumenes	Pf
Dg	6000K/3000k, 60 cm, base aluminio, dif. transp.	9 w	9000 lm	0.6
Dg	6000K/3000k, 60 cm, base aluminio, dif. opaco	9 w	9000 lm	0.6
Dg	6000K/3000k, 120 cm, base aluminio, dif. transp.	18 w	1800 lm	0.6
Dg	6000K/3000K, 120 cm, base aluminio, dif. opaco	18 w	1800 lm	0.6
Dg	6000K/3000k, 120 cm, base aluminio, dif. transp.	18 w	1800 lm	0.6

## Tubo de Cristal LED



Sku	Descripción	Watts	Lumenes	Pf
Bl- 18- 01	6000K, Cristal opalino	18 w	1800 lm	0.6
Bl- 18 - 02	3000K, Cristal opalino	18 w	1800 lm	0.6
Bl-18cl-01	6000K, Cristal transparente	18 w	1800 lm	0.6
Bl-18cl-02	3000K, Cristal transparente	18 w	1800 lm	0.6

## Regleta LED



Sku	Descripción	Watts	Lumenes	Pf
Tp-011	6000K/3000K, 60 cm, dif. opaco	18 w	1800 lm	0.6
Dg-012	6000K/3000k, 60 cm, dif. opaco	20 w	1800 lm	0.6
Jh-040	6500K/3000k, 120 cm, dif. transp	40 w	3600 lm	0.6
Jh-040	6500K/3000k, 120 cm, dif. opalino	40 w	3600 lm	0.6

## Modulo de LED



Sku	Descripción	Watts	Lumenes	Pf
Ld-42-01	6000K, SMD, Con driver	42 w	4500 lm	0.9

## Reflector LED



Sku	Descripción	Watts	Lumenes	Pf
Tgd- 010	Reflector tipo tanque, SMD	10 w	900 lm	0.9
Tgd- 020	Reflector tipo tanque, SMD	20 w	1800 lm	0.9
Tgd- 030	Reflector tipo tanque, SMD	30 w	2700 lm	0.9
Tgd- 050	Reflector tipo tanque, SMD	50 w	4500 lm	0.9
Tgd-100	Reflector tipo tanque, SMD	100 w	9000 lm	0.9
Tgd-150	Reflector tipo tanque, SMD	150 w	13500 lm	0.9
Tgd-200	Reflector tipo tanque, SMD	200 w	18000 lm	0.9
Tgd-300	Reflector tipo tanque, SMD	300 w	27000 lm	0.9

## Tiras/Mangueras LED



SKU	Descripción	Mts	Lumenes	Pf
Smd-manguera	Exterior SMD, 8mm, 28/35, IP 66	100 m	1260 lm x m	0.6
Dt- manguera	Exterior SMD, 50/50,28/35, IP 66	25/50 m	200-900 lm x m	0.6
Dt- tira	Exterior/Interior, IP 20, IP 40, LED 50/50	5 m	200-900 lm x m	0.6

## Downlight LED



SKU	Descripción	Watts	Lumenes	Pf
MPB	3000K/6000k	5 W	475 lm	0.6
MPB	3000K/6000k	9 W	855 lm	0.6
MPB	3000K/6000k	12 W	1140 lm	0.6



## Alumbrado Público Solar y LED

PRÓXIMAMENTE



Sku	Descripción	Watts	Lumenes	Pf
All in one	5700k, SMD, IP 65	60	x	x
All in one	5700K, SMD, IP 65	100	x	x

## Alumbrado público LED



Sku	Descripción	Watts	Lumenes	Pf
Ld-100-01	5800K/6000K, SMD, modulos	100 w	11000 lm	0.95
Ld-150-01	5800k/6000k, SMD, modulos	150 w	16500 lm	0.95



[grupoilv.com.mx](http://grupoilv.com.mx)  
[grupoilv](http://grupoilv.com.mx)  
[iluminacion verde](http://iluminacionverde.com.mx)  
[ilv.com.mx](http://ilv.com.mx)  
ILViluminacion